



Austin Allegro 2

1100/1300 Models





Allegro 2

1100 2 door de luxe

a car that's in tune with its time

You enjoy a little luxury with your motoring, no doubt. But you're probably less keen on the disproportionate price you're expected to pay for it. Not to mention the astronomical running costs you get thrown in as unwelcome 'extras'.

Here's some welcome news for you. Allegro 2 has arrived.

Now you can enjoy the pleasures of luxury motoring without putting undue strain on your pocket. Because this latest Allegro has so many of the refinements usually found on more expensive cars. And it has a tried and tested 1098cc engine that's famous for its lively, fuel-conserving performance.

Allegro 2 won't cramp you for style, either. There's plenty of sitting room in that handsomely re-styled interior. And plenty of luggage space in the cavernous $\pm 15 \text{ ft}^3$ boot.

Allegro 2. It's a bright new star on the motoring scene.

$\pm$ Gross figure

Features

- *Hydragas suspension
- Front wheel drive
- $\pm 15 \text{ cu. ft.}$ of boot space
- Alternator
- Electric washers
- Two-speed wipers
- Flick wipe
- Exterior door mirror
- Electric cooling fan
- Fresh-flow ventilation
- Hazard warning lamps
- Ashtrays front and rear
- Radial-ply tyres
- Underbody protection
- Sill protectors
- Anti-burst locks
- Safety steering column
- Steering column lock
- Recessed door handles
- Full depth door trim
- Coat hooks
- Vanity mirror

- Two-speed heater
- Dual-line disc/drum brakes with servo
- Individual front seats
- Front seats slide-mounted with full-width release lever
- Front seat folding squab and forward movement for easy rear seat access
- Speedo, fuel and temp. gauges
- Parcel shelf front and rear
- Handbrake grip
- Heated rear window
- Arm-rests
- Door pulls
- Fitted carpets
- Interior bonnet release

* 'Hydragas' is a registered Trade Mark





Allegro 2

1100 4 door de luxe

comfort with economy

This Allegro is the right choice for family motorists who need the added convenience of rear-door access. In every other way it's the same outstanding Allegro 1100, giving you zestful luxury motoring with all-important fuel economy.

You'll find this Allegro is light on your pocket in other ways, too. Radial-ply tyres can give up to twice the normal mileage expected from cross-ply tyres. And all that accessibility around the transverse engine helps to keep servicing costs to a minimum.

What hasn't been kept to a minimum in the Allegro is the amount of safety engineering. Dependable front disc brakes give you straight-line stopping power—stop after stop. Electric screen washers and a heated rear window take the worry out of foul-weather motoring.

Allegro 2. It could be a welcome new member of your family circle.



Features

- *Hydragas suspension
 - Front wheel drive
 - ‡15 cu. ft. of boot space
 - Alternator
 - Electric washers
 - Two-speed wipers
 - Flick wipe
 - Exterior door mirror
 - Electric cooling fan
 - Fresh-flow ventilation
 - Hazard warning lamps
 - Ashtrays front and rear
 - Radial-ply tyres
 - Underbody protection
 - Sill protectors
 - Child safety catches on rear doors
 - Anti-burst locks
 - Safety steering column
 - Steering column lock
 - Recessed door handles
 - Full depth door trim
 - Coat hooks
 - Vanity mirror
 - Two-speed heater
 - Dual-line disc/drum brakes with servo
 - Individual front seats
 - Front seats slide-mounted with full-width release lever
 - Speedo, fuel and temp. gauges
 - Parcel shelf front and rear
 - Handbrake grip
 - Heated rear window
 - Arm-rests
 - Door pulls
 - Fitted carpets
 - Interior bonnet release
- ‡Gross figure
* 'Hydragas' is a registered Trade Mark





Allegro 2

1300 2 door super

more style
more power
more luxury

This is the luxury Allegro with the light touch. A light touch on the accelerator brings the instant response of a vigorous 1275cc engine. A light touch on the steering gives you the positive handling of a thoroughbred sports car—thanks to front-wheel drive and unique *Hydragas suspension.

The Allegro 1300 Super has a light touch on your pocket, too! Your reasonable initial outlay brings you all the carpeted luxury and advanced specification of a more expensive car. And you'll save on every mile you drive, through Allegro fuel economy.

You'll enjoy every mile you drive, too. Because the Allegro has been designed to make motoring as effortless and relaxing as possible. The individual front seats, for example, are not only adjustable fore-and-aft but also reclining. Allowing you to choose the most comfortable position.

Allegro 2. It could add a distinctive touch to your lifestyle.

Features

*Hydragas suspension
Front wheel drive
‡15 cu. ft. of boot space
Alternator
Electric washers
Two-speed wipers
Flick wipe
Exterior door mirror
Electric cooling fan
Fresh-flow ventilation
Hazard warning lamps
Ashtrays front and rear
Radial ply tyres
Underbody protection
Sill protectors
Anti-burst locks
Safety steering column
Steering column lock
Recessed door handles
Coat hooks
Vanity mirror
Two-speed heater
Dual-line disc/drum
brakes with servo
Front seats slide-mounted with full-width release lever

Front seat folding squab and forward movement for easy rear seat access
Individual front reclining seats
Speedo, fuel and temp. gauges
Parcel shelf front and rear
Glovebox
Handbrake grip
Heated rear window
Arm-rests
Door pulls
Fitted carpets
Dipping interior mirror
Interior bonnet release
Full depth door trim
Cigar lighter
Reversing lamps
Double coachline
Cropped nylon seat trim facings

‡ Gross figure



Easy service transverse engine

Dipping interior mirror



* Hydragas is a Registered Trade Mark



Allegro 2

1300 4 door super

economy motoring in the grand manner

This attractive Allegro offers a full luxury specification with the added advantage of rear-door access—complete, of course, with child-proof safety catches.

It's easy to see why this version of the versatile Allegro falls into the luxury class. A glance at that long list of features makes it immediately obvious. A short test drive will make it even clearer.

What isn't so apparent is why the Allegro can also claim to be an economy car. The answer to that lies firstly in the reasonable initial outlay—and secondly in the low running costs. The sparkling 1275cc engine and responsive four-speed gearbox give smoothly balanced pulling power on demand—without making extravagant demands on your pocket. Nor is servicing an over expensive business, thanks to accessible design.

Mark your position in life with an Allegro 2. It's an economical tribute to your good taste.

‡ Gross figure

* 'Hydragas' is a registered Trade Mark



Reclining front seats

Cigar lighter



Features

*Hydragas suspension
Front wheel drive
‡15 cu. ft. of boot space
Alternator
Electric washers
Two-speed wipers
Flick wipe
Exterior door mirror
Electric cooling fan
Fresh-flow ventilation
Hazard warning lamps
Ashtrays front and rear
Radial ply tyres
Underbody protection
Sill protectors
Anti-burst locks
Child safety catches on rear doors
Safety steering column
Steering-column lock
Recessed door handles
Coat hooks
Vanity mirror
Two-speed heater

Dual-line disc/drum brakes with servo
Front seats slide-mounted with full-width release lever
Individual front reclining seats
Speedo, fuel and temp. gauges
Parcel shelf front and rear
Glovebox
Handbrake grip
Heated rear window
Arm-rests
Door pulls
Fitted carpets
Dipping interior mirror
Interior bonnet release
Full depth door trim
Cigar lighter
Reversing lamps
Double coachline
Cropped nylon seat trim facings



Specifications

1100 De luxe

Engine: Four-cylinder, transverse, push-rod overhead valve. Bore 2.543 in (64.58 mm); stroke 3.296 in (83.73 mm); capacity 1098 cc (67 in³); b.h.p. †45 at 5,250 rev/min; maximum torque †7.6 kgf m (54.97 lbf ft) at 2,900 rev/min; compression ratio 8.5 : 1. Oil capacity 9 pints (5.1 litres).

Fuel System: Mechanical fuel pump; single S.U. type HS4 carburettor; tank capacity 10½ gallons (47.7 litres).

Cooling System: Closed pressurized system with thermostatically controlled electrically-driven fan. Capacity 7.25 pints (4.1 litres) approx.

Clutch: Diaphragm spring, 7.125 in (0.18 m) diameter.

Gearbox: Four speed, synchromesh on forward gears; remote control gear lever. Ratios: first 3.525 : 1; second 2.218 : 1; third 1.433 : 1; fourth 1.000 : 1; reverse 3.544 : 1.

Final Drive: Front-wheel drive, open shafts with constant velocity joints. Ratio: 4.133 : 1.

Steering: Rack and pinion. Safety steering-column. Turning circle 33 ft 3 in (10.13 m) approximately.

Suspension: Independent with *Hydragas suspension units interconnected front to rear.

Brakes: Dual-line, diagonally split, hydraulically operated with servo assistance, 9.68 in (0.25 m) diameter discs at front, 8 in (0.20 m) diameter drums with leading/trailing shoes at rear.

Wheels and Tyres: Pressed-steel disc wheels with 145—13 radial-ply tyres.

Electrical: 12-volt, 40-Ah battery. Alternator. Multi-purpose lever on right-hand of steering-column controls horn, headlamp flasher, dipswitch and self-cancelling direction indicators. Lever on left-hand of steering-column controls electric windscreen washer and two-speed

windscreen wipers with flick-wipe facility. Single horn. Hazard warning lamps. Electrically heated rear window. Fresh-air heater/demister with air blend and two-speed blower controls. Combined ignition/starter switch incorporates steering-column lock.

Instruments: Speedometer with distance recorder. Fuel gauge. Water temperature gauge. Warning lamps to indicate low oil pressure, headlamp high beam, flasher/hazard lamps working, electrically heated rear window on, and no charge.

Coachwork: Two- and four-door saloon style body of all-steel unitary construction with underbody protection and wax-injected body sills. Sill protectors. Parcel shelves front and rear. Full-width fascia panel incorporating face-level fresh-air vents. Twin sun visors, with vanity mirror on passenger's visor. Pile carpet floor covering. Anti-burst door locks

(incorporate child safety catch on rear doors of four-door models) operated by recessed handles and door sill locking buttons on the inside; flush fitting handles on the outside. Arm-rests incorporating pulls on all doors. Ashtrays front and rear. Coat-hooks. Knit-backed expanded vinyl seat wearing surfaces. Interior rear view mirror, exterior mirror on driver's door. Interior bonnet release. Boot mat. Front door operated courtesy light switches. Hinged fuel-filler lid. Provision is made for the installation of up to four radio speakers. Factory-fitted front seat belts are supplied and anchorages are provided for the fitting of rear seat belts.

Optional Extra: Brake servo.

Export Markets: The specifications of these models are correct for the U.K. market at date of printing. Export specifications may differ to suit conditions and regulations of overseas territories. Please check details with your Dealer.

1300 Super

Engine: Four cylinder, transverse, push-rod overhead valve. Bore 2.780 in (70.64 mm); stroke 3.20 in (81.28 mm); capacity 1275 cc (78 in³); b.h.p. †54.0 at 5,250 rev/min; maximum torque †8.95 kgf m (64.74 lbf ft) at 3,000 rev/min; compression ratio 8.8 : 1. Oil capacity 9 pints (5.1 litres).

Fuel System: Mechanical fuel pump; single S.U. type HS4 carburettor; tank capacity 10½ gallons (47.7 litres).

Cooling System: Closed pressurized system with thermostatically controlled electrically-driven fan. Capacity 7.25 pints (4.12 litres) approx.

Clutch: Diaphragm spring, 7.125 in (0.18 m) diameter.

Gearbox: Four speed, synchromesh on forward gears; remote control gear lever. Ratios: first 3.525 : 1; second 2.218 : 1; third 1.433 : 1; fourth 1.000 : 1; reverse 3.544 : 1.

Final Drive: Front-wheel drive, open shafts with constant velocity joints. Ratio: 3.938 : 1.

Steering: Rack and pinion. Safety steering-column. Turning circle 33 ft 3 in (10.13 m) approximately.

Suspension: Independent with *Hydragas suspension units interconnected front to rear.

Brakes: Dual line, diagonally split, hydraulically operated with servo assistance, 9.68 in (0.25 m) diameter discs at front, 8 in (0.20 m) diameter drums with leading/trailing shoes at rear.

Wheels and Tyres: Pressed-steel disc wheels with 145—13 radial-ply tyres.

Electrical: 12-volt, 40-Ah battery. Alternator. Multi-purpose lever on right-hand of steering-column controls horn, headlamp flasher, dipswitch and self-cancelling direction indicators. Lever on left-hand of steering-column controls electric windscreen washer and two-speed windscreen wipers with flick-wipe facility.

Single horn. Cigar lighter. Hazard warning lamps. Reversing lamps. Electrically heated rear window. Fresh-air heater/demister with air blend and two-speed blower controls. Combined ignition/starter switch incorporates steering-column lock.

Instruments: Speedometer with distance recorder. Fuel gauge. Water temperature gauge. Warning lamps to indicate low oil pressure, headlamp high beam, flasher/hazard lamps working, electrically heated rear window on, and no charge.

Coachwork: Two- or four-door saloon style body of all-steel unitary construction with underbody protection and wax-injected body sills. Sill protectors. Parcel shelves front and rear. Full-width fascia panel incorporating face-level fresh air vents. Glovebox. Twin sun visors, with vanity mirror on passenger's visor. Pile carpet floor covering. Anti-burst door locks (incorporate child safety catch on rear doors of

four-door models) operated by recessed handles and door sill locking buttons on the inside; flush fitting handles on the outside. Arm-rests incorporating pulls on all doors. Ashtrays front and rear. Coat-hooks. Reclining front seats. Cropped nylon seat wearing surfaces. Dipping interior rear view mirror, exterior mirror on driver's door. Interior bonnet release. Boot mat. Front door operated courtesy light switches. Hinged fuel-filler lid. Double coachline. Provision is made for the installation of up to four radio speakers. Factory-fitted front seat belts are supplied and anchorages are provided for the fitting of rear seat belts.

Optional Extras: Metallic paint finish. Brake servo.

Export Markets: The specifications of these models are correct for the U.K. market at date of printing. Export specifications may differ to suit conditions and regulations of overseas territories. Please check details with your Dealer.

Dimensions





2 door model

		in	cm			in	cm
*Front seat headroom (uncompressed)	A	35.58	90.35	Luggage boot width (with spare wheel)	P	36.50	92.71
*Rear seat headroom (uncompressed)	B	31.30	79.50	*Front seat cushion width	Q ¹	21.50	54.61
*Front seat cushion depth	C	16.75	42.54	*Front cushions overall width	Q ²	46.76	118.80
*Rear seat cushion depth	D	17.00	43.18	*Rear cushion overall width	R	51.50	130.80
*Front seat squab height	E	21.54	54.45	*Width between front doors	S	51.54	130.90
*Rear seat squab height	F	20.58	52.30	*Width across rear seat	T	51.50	130.80
*Front seat cushion height	G	12.74	32.30	*Shoulder width over front seat	U	51.50	130.80
*Rear seat cushion height	H	13.22	33.55	*Shoulder width over rear seat	V	50.94	129.40
*Distance between seats—max.	I	17.96	45.65	Wheelbase	W	96.14	244.20
min. I		10.62	26.95	Overall height (laden)	X	54.75	139.05
*Steering-wheel to squab—max.	J	16.84	42.75	Overall width	Y	63.52	161.30
min. J		9.95	25.25	Overall length	Z	151.67	385.25
*Steering-wheel to cushion	K	6.62	16.85	Front door entry width	AA	33.55	85.25
*Front seat leg reach—max.	L	47.39	120.35	Track at front		54.33	138.00
min. L		41.18	104.60	Track at rear		54.41	138.20
*Rear seat leg reach—max.	M	53.97	137.10	Ground clearance (laden)		7.48	19.00
min. M		45.30	115.10	Kerbside weight (approx.):			
Luggage boot height	N	22.00	55.88	1100 DeLuxe		1828 lb	829 kg
Luggage boot depth	O	31.75	80.64	1300 Super		1851 lb	839.6 kg

4 door model

		in	cm			in	cm
*Front seat headroom (uncompressed)	A	35.58	90.35	Luggage boot width (with spare wheel)	P	36.50	92.71
*Rear seat headroom (uncompressed)	B	31.30	79.50	*Front seat cushion width	Q ¹	20.75	52.70
*Front seat cushion depth	C	16.75	42.54	*Front cushions overall width	Q ²	45.27	115.00
*Rear seat cushion depth	D	17.00	43.18	*Rear cushion overall width	R	51.50	130.80
*Front seat squab height	E	21.54	54.45	*Width between front doors	S	51.54	130.90
*Rear seat squab height	F	20.58	52.30	*Width across rear seat	T	51.50	130.80
*Front seat cushion height	G	12.74	32.30	*Shoulder width over front seat	U	51.50	130.80
*Rear seat cushion height	H	13.22	33.55	*Shoulder width over rear seat	V	50.94	129.40
*Distance between seats—max.	I	20.05	50.95	Wheelbase	W	96.14	244.20
min. I	10.62	26.95	Overall height (laden)	X	54.75	139.05	
*Steering-wheel to squab—max.	J	16.84	42.75	Overall width	Y	63.52	161.30
min. J	8.01	20.35	Overall length	Z	151.67	385.25	
*Steering-wheel to cushion	K	6.62	16.85	Front door entry width	AA	28.03	71.25
*Front seat leg reach—max.	L	47.39	120.35	Rear door entry width	AB	27.24	69.25
min. L	39.47	100.25	Track at front			54.33	138.00
*Rear seat leg reach—max.	M	53.97	137.10	Track at rear		54.41	138.20
min. M	45.30	115.10	Ground clearance (laden)			7.48	19.00
Luggage boot height	N	22.00	55.88	Kerbside weight (approx.):			
Luggage boot depth	O	31.75	80.64	1100 DeLuxe		1849 lb	858.7 kg
				1300 Super		1875 lb	850.5 kg

* Due to trim variations, these are approximate measurements.



One of the most comprehensive service schemes ever offered.

If you're thinking of buying a car take a good look round at what's being offered. Ever since the introduction of Supercover, everyone will be claiming more luxury, more miles per gallon and more extras. But you cannot afford to ignore what Supercover means to you.

1. Free 24 hour on-the-spot roadside assistance.

If your car breaks down on the road anywhere in the UK, you'll get the full AA road service backed up by their 2,500 strong team of radio patrols.



2. Free get-you-there relay recovery service.

If your vehicle cannot be repaired within reasonable time, you, your car, and passengers will be transported free of charge by AA Relay to your destination.
(This service operates in the UK mainland.)



3. No limit to mileage for first-year warranty.


No matter how many miles you do, your free parts and labour warranty will cover you for a full year. (And there's a second year Warranty, with or without AA membership, available at low cost. Your Dealer has full details.)



4. A new 69 point check-out service, free before any car goes on the road.



Inside every new car there will be a signed declaration from the dealer that he has done a thorough check to iron out any teething problems.



ADDENDA: Black steering wheel and surrounding fascia areas trimmed in black are now fitted to all models.

Leyland Cars



SUPERCOVER

Even if you never need it,
it's good to know you've got it.

Applicable only to vehicles used within
the United Kingdom.

IMPORTANT NOTICE

British Leyland UK Limited is constantly seeking ways to improve the specification, design and production of its vehicles and alterations take place continually. While every effort is made to produce up to date literature, this Brochure should not be regarded as an infallible guide to current specification, nor does it constitute an offer for the sale of any particular vehicle. Distributors and Dealers are not agents of British Leyland UK Limited and have absolutely no authority to bind British Leyland UK Limited by any express or implied undertaking or representation.

 **Leyland Cars**

British Leyland UK Limited, Grosvenor House, Redditch, Worcs. B97 4DQ

